

POWERLIFT



SPL 4000
HDL 5000



Nussbaum

Hydraulic lifts - powerful and reliable

Two-post hydraulic lifts for repair, body shop and outside use

- Additional security through electro-magnetic locking devices
- Height limit control for protection of high vehicles
- No baseframe, easy access and unobstructed floor space
- Door-free asymmetrical lifting (SPL 4000)
- Fast lifting/ lowering times
- Powerful hydraulic cylinders with minimal maintenance costs
- Galvanized option for outside use (separated hydraulic unit)
- CE certified and TÜV tested
- Easy operation control
- Easy lowering by progressive hand lever control

SPL 4000

all-round lift suited to handle a wide range of vehicles

SPL 4000 C

with operating controls on both posts for maximum of work efficiency

SPL 4000 T

also for commercial vehicles (VW Polo until T4 long version)

SPL 4000 DC

suited to handle DC vehicles

SPL 4000 Ducato

suited to handle Fiat Ducato

HDL 5000

suited to handle larger commercial vehicles

- Easy operation control

- Easy lowering by progressive hand lever control

- Easy working with great door-free






HDL 5000

all-round lift suited to handle a wide range of vehicles, especially larger commercial (e.g. MB Sprinter, VW LT 12).

Easy going, roller-bearing carrying arms (symmetrical), 3-times telescopic (until 1885 mm)



Technical data & accessories

Accessories



- A range of pick-up pads for 4-wheel drive and light trucks
- Post extensions 600mm (SPL 4000) and 650mm (HDL 5000)
- Energy-Set 380V/ 220V/ 2 air supply connections



pick-up pads

Technical data

	SPL 4000 T	SPL 4000 C	SPL 4000 DC	SPL 4000 Ducato	HDL 5000
Lifting capacity (kg)	4000	3200	3500	3500	5000
Lifting times approx. (sec)	32	32	32	32	32
Lifting height (mm)	1905 / 2095	1905 / 2095	1905 / 2095	1905 / 2095	2080
Pick up height (mm)	120 - 165	120 - 195	120 - 195	120 - 195	140 - 220
Overall height (mm)	3650 / 4090	3650 / 4090	3650 / 4090	3650 / 4090	4020
Overall width (mm)	3148	3148	3148	3148	3670
Free width between posts (mm)	2650	2650	2650	2650	3020



Your Nussbaum dealer & servicepartner:

Nussbaum

Otto Nussbaum GmbH & Co. KG
 Korker Strasse 24
 D-77694 Kehl-Bodersweier
 Germany
 Phone +49 / 78 53 / 899 - 0
 Fax +49 / 78 53 / 87 87
 info@nussbaum-lifts.de
 www.nussbaum-lifts.de